Exercise 3.1

Question 1:

Form the pair of linear equations in the following problems, and find their solutions graphically.

- (i) 10 students of Class X took part in a Mathematics quiz. If the number of girls is 4 more than the number of boys, find the number of boys and girls who took part in the quiz.
- (ii) 5 pencils and 7 pens together cost Rs 50, whereas 7 pencils and 5 pens together cost Rs 46. Find the cost of one pencil and that of one pen.

Answer:

(i) Let the number of girls be x and the number of boys be y.

According to the question, the algebraic representation

is
$$x + y = 10 x - y = 4$$
 For $x + y = 10$, $x = 10 - y$

x	5	4	6
У	5	6	4


For $x - \frac{1}{-4}$

y x = 4

+ *y*

X	5	4	3
у	1	0	- 1

Hence, the graphic representation is as follows.



From the figure, it can be observed that these lines intersect each other at point (7, 3).

Therefore, the number of girls and boys in the class are 7 and 3 respectively.

(ii) Let the cost of 1 pencil be Rs x and the cost of 1 pen be Rs y.

According to the question, the algebraic representation is

$$5x + 7y = 50$$

$$7x + 5y = 46$$

For 5x + 7y = 50,

$$x = \frac{50 - 7y}{5}$$


****	x 3 10 -4		
x	3	10	- 4
у	5	0	10

$$7x + 5y = 46$$

$$x = \frac{46 - 5y}{7}$$

x	8	3	- 2
у	- 2	5	12

Hence, the graphic representation is as follows.



From the figure, it can be observed that these lines intersect each other at point (3, 5).

Therefore, the cost of a pencil and a pen are Rs 3 and Rs 5 respectively.

Question 2:

$$\frac{a_1}{a}$$
, $\frac{b_1}{b}$ and $\frac{c_1}{c}$

 $\frac{a_{\rm l}}{a_2}, \frac{b_{\rm l}}{b_2} \text{ and } \frac{c_{\rm l}}{c_2}$ On comparing the ratios $\frac{a_{\rm l}}{c_2}$, find out whether the lines representing the following pairs of linear equations at a point, are parallel or coincident:

(i)
$$5x-4y+8=0$$
 (ii) $9x+3y+12=0$ (iii) $6x-3y+10=0$

$$7x + 6y - 9 = 0$$
 $18x + 6y + 24 = 0$ $2x - y + 9 = 0$

Answer:

(i)
$$5x - 4y + 8 = 0$$

$$7x + 6y - 9 = 0$$

Comparing these equations with $a_{\rm l}x+b_{\rm l}y+c_{\rm l}=0$

and
$$a_2x + b_2y + c_2 = 0$$
, we obtain

$$a_1 = 5$$
, $b_1 = -4$, $c_1 =$

$$a_1 = 5$$
, $b_1 = -4$, $c_1 = 8$
 $a_2 = 7$, $b_2 = 6$, $c_2 = -9$

$$\frac{a_1}{a_2} = \frac{5}{7}$$

$$\frac{b_1}{b_2} = \frac{-4}{6} = \frac{-2}{3}$$

Since
$$\frac{a_{\rm l}}{a_{\rm 2}} \neq \frac{b_{\rm l}}{b_{\rm 2}}$$
 ,

Hence, the lines representing the given pair of equations have a unique solution and the pair of lines intersects at exactly one point.

(ii)
$$9x + 3y + 12 = 0$$

$$18x + 6y + 24 = 0$$

Comparing these equations with $a_{\rm l}x+b_{\rm l}y+c_{\rm l}=0$

and
$$a_2x + b_2y + c_2 = 0$$
, we obtain

$$a_1 = 9$$
, $b_1 = 3$, $c_1 = 12$

$$a_2 = 18$$
, $b_2 = 6$, $c_2 = 24$

$$\frac{a_1}{a_2} = \frac{9}{18} = \frac{1}{2}$$

$$\frac{b_1}{b_2} = \frac{3}{6} = \frac{1}{2}$$

$$\frac{c_1}{c_2} = \frac{12}{24} = \frac{1}{2}$$

$$\frac{a_1}{a_2} = \frac{b_1}{b_2} = \frac{c_1}{c_2}$$

Hence, the lines representing the given pair of equations are coincident and there are infinite possible solutions for the given pair of equations.

(iii)
$$6x - 3y + 10 = 0$$

$$2x - y + 9 = 0$$

Comparing these equations with $a_{\rm l}x+b_{\rm l}y+c_{\rm l}=0$

and
$$a_2x + b_2y + c_2 = 0$$
, we obtain

$$a_1 = 6$$
, $b_1 = -3$, $c_1 = 10$

$$a_2 = 2$$
, $b_2 = -1$, $c_2 = 9$

$$\frac{a_1}{a_2} = \frac{6}{2} = \frac{3}{1}$$

$$\frac{b_1}{b_2} = \frac{-3}{-1} = \frac{3}{1}$$

$$\frac{c_1}{c_2} = \frac{10}{9}$$

Since
$$\frac{a_{\rm l}}{a_{\rm 2}} = \frac{b_{\rm l}}{b_{\rm 2}} \neq \frac{c_{\rm l}}{c_{\rm 2}} \,, \label{eq:alpha}$$

Hence, the lines representing the given pair of equations are parallel to each other and hence, these lines will never intersect each other at any point or there is no possible solution for the given pair of equations.

Question 3:

$$\frac{a_1}{a_1}$$
, $\frac{b_1}{a_1}$ and $\frac{c_1}{a_1}$

On comparing the ratios $\frac{a_1}{a_2}$, $\frac{b_1}{b_2}$ and $\frac{c_1}{c_2}$, find out whether the following pair of linear equations are consistent, or inconsistent.

(i)
$$3x + 2y = 5$$
; $2x - 3y = 7$ (ii) $2x - 3y = 8$; $4x - 6y = 9$

(iii)
$$\frac{3}{2}x + \frac{5}{3}y = 7$$
; $9x - 10y = 14$ (iv) $5x - 3y = 11$; $-10x + 6y = -22$

(v)
$$\frac{4}{3}x + 2y = 8$$
; $2x + 3y = 12$

Answer:

(i)
$$3x + 2y = 5$$

$$2x - 3y = 7$$

$$\frac{a_1}{a_2} = \frac{3}{2}, \quad \frac{b_1}{b_2} = \frac{-2}{3}, \quad \frac{c_1}{c_2} = \frac{5}{7}$$

$$\frac{a_1}{a_2} \neq \frac{b_1}{b_2}$$

These linear equations are intersecting each other at one point and thus have only one possible solution. Hence, the pair of linear equations is consistent.

(ii)
$$2x - 3y = 8$$

$$4x - 6y = 9$$

$$\begin{aligned} \frac{a_1}{a_2} &= \frac{2}{4} = \frac{1}{2}, & \frac{b_1}{b_2} &= \frac{-3}{-6} = \frac{1}{2}, & \frac{c_1}{c_2} &= \frac{8}{9} \\ \\ \frac{a_1}{a_2} &= \frac{b_1}{b_2} \neq \frac{c_1}{c_2} \\ \\ \text{Since} & \end{aligned}$$

Therefore, these linear equations are parallel to each other and thus have no possible solution. Hence, the pair of linear equations is inconsistent.

$$\frac{3}{2}x + \frac{5}{3}y = 7$$

$$9x - 10y = 14$$

$$\frac{a_1}{a_2} = \frac{\frac{3}{2}}{9} = \frac{1}{6}, \quad \frac{b_1}{b_2} = \frac{\frac{5}{3}}{-10} = \frac{-1}{6}, \quad \frac{c_1}{c_2} = \frac{7}{14} = \frac{1}{2}$$
Since $\frac{a_1}{a_2} \neq \frac{b_1}{b_2}$

Therefore, these linear equations are intersecting each other at one point and thus have only one possible solution. Hence, the pair of linear equations is consistent.

(iv)5x - 3 y = 11
- 10x + 6y = -22

$$\frac{a_1}{a_2} = \frac{5}{-10} = \frac{-1}{2}, \quad \frac{b_1}{b_2} = \frac{-3}{6} = \frac{-1}{2}, \quad \frac{c_1}{c_2} = \frac{11}{-22} = \frac{-1}{2}$$
Since
$$\frac{a_1}{a_2} = \frac{b_1}{b_2} = \frac{c_1}{c_2}$$

Therefore, these linear equations are coincident pair of lines and thus have infinite number of possible solutions. Hence, the pair of linear equations is consistent.

$$\frac{4}{3}x + 2y = 8$$
(v)
$$2x + 3y = 12$$

$$\frac{a_1}{a_2} = \frac{\frac{4}{3}}{2} = \frac{2}{3}, \quad \frac{b_1}{b_2} = \frac{2}{3}, \quad \frac{c_1}{c_2} = \frac{8}{12} = \frac{2}{3}$$

$$\frac{a_1}{a_2} = \frac{b_1}{b_2} = \frac{c_1}{c_2},$$
Since

Therefore, these linear equations are coincident pair of lines and thus have infinite number of possible solutions. Hence, the pair of linear equations is consistent.

Question 4:

Which of the following pairs of linear equations are consistent/ inconsistent? If consistent, obtain the solution graphically:

(i)
$$x+y=5$$
, $2x+2y=10$

(ii)
$$x-y=8$$
, $3x-3y=16$

(iii)
$$2x+y-6=0$$
, $4x-2y-4=0$

(iv)
$$2x-2y-2=0, 4x-4y-5=0$$

Answer:

(i)
$$x + y = 5$$

$$2x + 2y = 10$$

$$\frac{a_1}{a_2} = \frac{1}{2}$$
, $\frac{b_1}{b_2} = \frac{1}{2}$, $\frac{c_1}{c_2} = \frac{5}{10} = \frac{1}{2}$

Since
$$\frac{a_{\rm l}}{a_{\rm 2}} = \frac{b_{\rm l}}{b_{\rm 2}} = \frac{c_{\rm l}}{c_{\rm 2}}$$
 ,

Therefore, these linear equations are coincident pair of lines and thus have infinite number of possible solutions. Hence, the pair of linear equations is consistent.

$$x + y = 5$$

$$x = 5 - y$$


X	4	3	2
у	1	2	3

And, 2x + 2y = 10

$$x = \frac{10 - 2y}{2}$$

x	4	3	2
у	1	2	3

Hence, the graphic representation is as follows.



From the figure, it can be observed that these lines are overlapping each other. Therefore, infinite solutions are possible for the given pair of equations.

(ii)
$$x-y=8$$

 $3x-3y=16$
 $\frac{a_1}{a_2} = \frac{1}{3}, \quad \frac{b_1}{b_2} = \frac{-1}{-3} = \frac{1}{3}, \quad \frac{c_1}{c_2} = \frac{8}{16} = \frac{1}{2}$
Since $\frac{a_1}{a_2} = \frac{b_1}{b_2} \neq \frac{c_1}{c_2}$


Therefore, these linear equations are parallel to each other and thus have no possible solution. Hence, the pair of linear equations is inconsistent.

(iii)
$$2x + y - 6 = 0$$
, $4x - 2y - 4 = 0$

Here
$$\frac{a_1}{a_2} = \frac{2}{4} = \frac{1}{2}$$
, $\frac{b_1}{b_2} = \frac{1}{-2}$, $\frac{c_1}{c_2} = \frac{-6}{-4} = \frac{3}{2}$

$$\therefore \quad \frac{a_1}{a_2} \neq \frac{b_1}{b_2}$$

:. Pair of equations is consistent.



Pair of equations is consistent.


Table for equation 2x + y - 6 = ()

x	2	1	-1
у	2	4	8

Table for equation 4x - 2y - 4 = 0

x	1	0	2	
у	0	-2	2	

(iv)
$$2x - 2y - 2 = 0$$
, $4x - 4y - 5 = 0$
Here $\frac{a_1}{a_2} = \frac{2}{4} = \frac{1}{2}$, $\frac{b_1}{b_2} = \frac{-2}{-4} = \frac{1}{2}$, $\frac{c_1}{c_2} = \frac{-2}{-5} = \frac{2}{5}$
 $\frac{a_1}{a_2} = \frac{b_1}{b_2} \neq \frac{c_1}{c_2}$



Thus, these linear equations have parallel and have no possible solutions. Hence, the pair of linear equations are inconsistent.

Question 5:

Half the perimeter of a rectangular garden, whose length is 4 m more than its width, is 36 m. Find the dimensions of the garden.

Answer:


Let the width of the garden be x and length be y. According to the question, y - x = 4 (1) y + x = 36 (2) y - x = 4 y = x + 4

x	0	8	12
у	4	12	16

y + x = 36

x	0	36	16
у	36	0	20

Hence, the graphic representation is as follows.



From the figure, it can be observed that these lines are intersecting each other at only point i.e., (16, 20). Therefore, the length and width of the given garden is 20 m and 16 m respectively.

Question 6:

Given the linear equation 2x + 3y - 8 = 0, write another linear equations in two variables such that the geometrical representation of the pair so formed is:

- (i) intersecting lines (ii) parallel lines
- (iii) coincident lines

Answer:

(i)Intersecting lines:

For this condition,

$$\frac{a_1}{a_2} \neq \frac{b_1}{b_2}$$

The second line such that it is intersecting the given line

$$2x + 4y - 6 = 0$$
 as $\frac{a_1}{a_2} = \frac{2}{2} = 1$, $\frac{b_1}{b_2} = \frac{3}{4}$ and $\frac{a_1}{a_2} \neq \frac{b_1}{b_2}$

(ii) Parallel lines:

For this condition,

$$\frac{a_1}{a_2} = \frac{b_1}{b_2} \neq \frac{c_1}{c_2}$$

Hence, the second line can be

$$4x + 6y - 8 = 0$$

as
$$\frac{a_1}{a_2} = \frac{2}{4} = \frac{1}{2}$$
, $\frac{b_1}{b_2} = \frac{3}{6} = \frac{1}{2}$, $\frac{c_1}{c_2} = \frac{-8}{-8} = 1$

And clearly,
$$\frac{a_1}{a_2} = \frac{b_1}{b_2} \neq \frac{c_1}{c_2}$$

(iii) Coincident lines:

For coincident lines,

$$\frac{a_1}{a_2} = \frac{b_1}{b_2} = \frac{c_1}{c_2}$$

Hence, the second line can be

$$6x + 9y - 24 = 0$$

as
$$\frac{a_1}{a_2} = \frac{2}{6} = \frac{1}{3}$$
, $\frac{b_1}{b_2} = \frac{3}{9} = \frac{1}{3}$, $\frac{c_1}{c_2} = \frac{-8}{-24} = \frac{1}{3}$

And clearly,
$$\frac{a_1}{a_2} = \frac{b_1}{b_2} = \frac{c_1}{c_2}$$

Question 7:

Draw the graphs of the equations x - y + 1 = 0 and 3x + 2y - 12 = 0. Determine the coordinates of the vertices of the triangle formed by these lines and the *x*-axis, and shade the triangular region.

Answer:

$$x - y + 1 = 0$$

x = y - 1


x = y			
x	0	1	2
у	1	2	3

3x + 2y - 12 = 0

 $x = \frac{12 - 2y}{3}$

x	4	2	0
у (6	0	3	6

Hence, the graphic representation is as follows.



From the figure, it can be observed that these lines are intersecting each other at point (2, 3) and x-axis at (-1, 0) and (4, 0). Therefore, the vertices of the triangle are (2, 3), (-1, 0), and (4, 0).