

MISCELLANEOUS EXERCISE


Question 1:

If a parabolic reflector is 20 cm in diameter and 5 cm deep, find the focus.

Solution:

The origin of the coordinate plane is taken at the vertex of the parabolic reflector in such a way that the axis of the reflector is along the positive x -axis.

This can be diagrammatically represented as



The equation of the parabola is of the form $y^2 = 4ax$ (as it is opening to the right).

Since the parabola passes through point $A(5, 10)$

Then,

$$\Rightarrow 10^2 = 4a(5)$$

$$\Rightarrow 100 = 20a$$

$$\Rightarrow a = \frac{100}{20} = 5$$

Therefore, the focus of the parabola is $(a, 0) \Rightarrow (5, 0)$, which is the mid-point of the diameter.

Hence, the focus of the reflector is at the mid-point of the diameter.


Question 2:

An arch is in the form of a parabola with its axis vertical. The arch is 10 m high and 5 m wide at the base. How wide is it 2 m from the vertex of the parabola?

Solution:

The origin of the coordinate plane is taken at the vertex of the parabolic reflector in such a way that the axis of the reflector is along the positive y-axis.

This can be diagrammatically represented as



The equation of the parabola is of the form $x^2 = 4ay$ (as it is opening upwards).

It can be clearly seen that the parabola passes through point $\left(\frac{5}{2}, 10\right)$

Hence,

$$\Rightarrow \left(\frac{5}{2}\right)^2 = 4a(10)$$

$$\Rightarrow a = \frac{25}{4 \times 4 \times 10} = \frac{5}{32}$$

Therefore, the arch is in the form of a parabola whose equation is $x^2 = \frac{5}{8}y$

When $y = 2$

$$\Rightarrow x^2 = \frac{5}{8} \times 2$$

$$\Rightarrow x^2 = \frac{5}{4}$$

$$\Rightarrow x = \sqrt{\frac{5}{4}}$$

Therefore,

$$AB = 2 \times 1.118 \text{ m (approx.)}$$

$$= 2.236 \text{ m (approx.)}$$


Hence, when the arch is 2 m from the vertex of the parabola, its width is approximately 2.236 m.

Question 3:

The cable of a uniformly loaded suspension bridge hangs in the form of a parabola. The roadway which is horizontal and 100 m long is supported by vertical wires attached to the cable, the longest wire being 30 m and the shortest being 6 m. Find the length of a supporting wire attached to the roadway 18 m from the middle.

Solution:

The vertex is at the lowest point of the cable. The origin of the coordinate plane is taken as the vertex of the parabola, while its vertical axis is taken along the positive y -axis. This can be diagrammatically represented as



Here, AB and OC are the longest and the shortest wires, respectively, attached to the cable. DF is the supporting wire attached to the roadway, 18 m from the middle.

Here, $AB = 30\text{ m}$, $OC = 6\text{ m}$ and $BC = \frac{100\text{ m}}{2} = 50\text{ m}$

The equation of the parabola is of the form $x^2 = 4ay$ (as it is opening upwards).

The coordinates of point A are $(50, 30 - 6) \Rightarrow (50, 24)$.

Since $A(50, 24)$ is a point on the parabola,

Then,

$$\Rightarrow (50)^2 = 4a(24)$$

$$\Rightarrow a = \frac{50 \times 50}{4 \times 24}$$

$$\Rightarrow a = \frac{625}{24}$$

Therefore, equation of the parabola,

$$\Rightarrow x^2 = 4 \times \frac{625}{24} \times y$$

$$\Rightarrow 6x^2 = 625y$$

The x -coordinate of point D is 18.

Hence, at $x = 18$

$$\Rightarrow 6(18)^2 = 625y$$

$$\Rightarrow y = \frac{6 \times 18 \times 18}{625}$$

$$\Rightarrow y = 3.11(\text{approx.})$$

Therefore,

$$DE = 3.11m$$

$$DF = DE + EF$$

$$= 3.11m + 6m$$

$$= 9.11m$$


Thus, the length of the supporting wire attached to the roadway 18 m from the middle is approximately 9.11 m.

Question 4:

An arch is in the form of a semi-ellipse. It is 8 m wide and 2 m high at the centre. Find the height of the arch at a point 1.5 m from one end.

Solution:

Since the height and width of the arc from the centre is 2 m and 8 m respectively, it is clear that the length of the major axis is 8 m, while the length of the semi-minor axis is 2 m. The origin of the coordinate plane is taken as the centre of the ellipse, while the major axis is taken along the x -axis. Hence, the semi-ellipse can be diagrammatically represented as



The equation of the semi-ellipse will be of the form $\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1, y \geq 0$, where a is the semi-major axis

Accordingly,

$$\Rightarrow 2a = 8 \Rightarrow a = 4 \text{ and } \Rightarrow b = 2$$

Therefore, the equation of the semi-ellipse is

$$\frac{x^2}{16} + \frac{y^2}{4} = 1, y \geq 0 \quad \dots(1)$$

Let A be a point on the major axis such that $AB = 1.5m$.

Now, Draw $AC \perp OB$.

$$OA = (4 - 1.5)m = 2.5m$$

The x -coordinate of point C is 2.5

On substituting the value of $x = 2.5$ in equation (1), we obtain

$$\Rightarrow \frac{(2.5)^2}{16} + \frac{y^2}{4} = 1$$

$$\Rightarrow \frac{6.25}{16} + \frac{y^2}{4} = 1$$

$$\Rightarrow y^2 = 4 \left(1 - \frac{6.25}{16} \right)$$

$$\Rightarrow y^2 = 4 \left(\frac{9.75}{16} \right)$$

$$\Rightarrow y^2 = 2.4375$$

$$\Rightarrow y = 1.56 \text{ (approx.)}$$

Therefore, $AC = 1.56m$

Thus, the height of the arch at a point 1.5 m from one end is approximately 1.56 m.

Question 5:

A rod of length 12 cm moves with its ends always touching the coordinate axes. Determine the equation of the locus of a point P on the rod, which is 3 cm from the end in contact with the x -axis.


Solution:

Let $AB = 12\text{cm}$ be the rod making an angle θ with OX and $P(x, y)$ be the point on it such that $AP = 3\text{cm}$

Then,

$$\begin{aligned} PB &= AB - AP \\ &= (12 - 3)\text{cm} \\ &= 9\text{cm} \end{aligned}$$

From P, draw $PQ \perp OY$ and $PR \perp OX$.



In $\triangle PBQ$; $\cos \theta = \frac{PQ}{PB} = \frac{x}{9}$

In $\triangle PRA$; $\sin \theta = \frac{PR}{PA} = \frac{y}{3}$

Since, $\sin^2 \theta + \cos^2 \theta = 1$,

$$\begin{aligned} \left(\frac{y}{3}\right)^2 + \left(\frac{x}{9}\right)^2 &= 1 \\ \Rightarrow \frac{x^2}{81} + \frac{y^2}{9} &= 1 \end{aligned}$$

Thus, the equation of the locus of point P on the rod is $\frac{x^2}{81} + \frac{y^2}{9} = 1$

Question 6:

Find the area of the triangle formed by the lines joining the vertex of the parabola $x^2 = 12y$ to the ends of its latus rectum.

Solution:


The given parabola is $x^2 = 12y$.

On comparing this equation with $x^2 = 4ay$, we obtain $4a = 12 \Rightarrow a = 3$
Therefore,

The coordinates of foci are $\Rightarrow S(0, 3)$

Let AB be the latus rectum of the given parabola.

The given parabola can be roughly drawn as



At $y = 3$

$$\Rightarrow x^2 = 12(3)$$

$$\Rightarrow x^2 = 36$$

$$\Rightarrow x = \pm 6$$

Hence,

The coordinates of A are $(-6, 3)$, while the coordinates of B are $(6, 3)$

Therefore, the vertices of $\triangle AOB$ are $O(0, 0)$, $A(-6, 3)$ and $B(6, 3)$

$$\begin{aligned}
 \text{ar}(\Delta AOB) &= \frac{1}{2} |0(3-3) + (-6)(3-0) + 6(0-3)| \text{unit}^2 \\
 &= \frac{1}{2} |(-6)(3) + 6(-3)| \text{unit}^2 \\
 &= \frac{1}{2} |-18 - 18| \text{unit}^2 \\
 &= \frac{1}{2} |-36| \text{unit}^2 \\
 &= \frac{1}{2} \times 36 \text{ unit}^2 \\
 &= 18 \text{ unit}^2
 \end{aligned}$$

Thus, the required area of the triangle is 18 unit^2 .

Question 7:

A man running a racecourse notes that the sum of the distances from the two flag posts from him is always 10 m and the distance between the flag posts is 8 m. Find the equation of the posts traced by man.

Solution:


Let A and B be the positions of the two flag posts and $P(x, y)$ be the position of the man. Accordingly,

$$PA + PB = 10.$$

We know that if a point moves in a plane in such a way that the sum of its distances from two fixed points is constant, then the path is an ellipse and this constant value is equal to the length of the major axis of the ellipse.

Therefore, the path described by the man is an ellipse where the length of the major axis is 10 m, while points A and B are the foci.

Taking the origin of the coordinate plane as the centre of the ellipse, while taking the major axis along the x-axis, the ellipse can be diagrammatically represented as



The equation of the ellipse will be of the form $\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1$, where a is the semi-major axis
Accordingly,

$$\Rightarrow 2a = 10$$

$$\Rightarrow a = 5$$

Distance between the foci

$$\Rightarrow 2c = 8$$

$$\Rightarrow c = 4$$

On using the relation $c = \sqrt{a^2 - b^2}$, we obtain

$$\Rightarrow 4 = \sqrt{25 - b^2}$$

$$\Rightarrow 16 = 25 - b^2$$

$$\Rightarrow b^2 = 25 - 16$$

$$\Rightarrow b^2 = 9$$

$$\Rightarrow b = 3$$

Thus, the equation of the path traced by the man is $\frac{x^2}{25} + \frac{y^2}{9} = 1$


Question 8:

An equilateral triangle is inscribed in the parabola $y^2 = 4ax$, where one vertex is at the vertex of the parabola. Find the length of the side of the triangle.

Solution:

Let $\triangle OAB$ be the equilateral triangle inscribed in the parabola $y^2 = 4ax$.

Let AB intersect the x-axis at point C.



Let $OC = k$

From the equation of the given parabola, we have

$$\Rightarrow y^2 = 4ak$$

$$\Rightarrow y = \pm 2\sqrt{ak}$$

Therefore, the respective coordinates of points A and B are $(k, 2\sqrt{ak})$ and $(k, -2\sqrt{ak})$
Hence,

$$\begin{aligned} AB &= AC + CB \\ &= 2\sqrt{ak} + 2\sqrt{ak} \\ &= 4\sqrt{ak} \end{aligned}$$

Since, $\triangle OAB$ is an equilateral triangle,

$$\Rightarrow OA^2 = AB^2$$

$$\Rightarrow OC^2 + AC^2 = AB^2$$

Therefore,

$$\Rightarrow k^2 + (2\sqrt{ak})^2 = (4\sqrt{ak})^2$$

$$\Rightarrow k^2 + 4ak = 16ak$$

$$\Rightarrow k^2 = 12ak$$

$$\Rightarrow k = 12a$$

Hence,

$$\begin{aligned} AB &= 4\sqrt{ak} = 4\sqrt{a \times 12a} \\ &= 4\sqrt{12a^2} \\ &= 8\sqrt{3}a \end{aligned}$$

Thus, the side of the equilateral triangle inscribed in the parabola $y^2 = 4ax$ is $8\sqrt{3}a$.

When you learn math
in an interesting way,
you never forget.



25 Million

Math classes &
counting

100K+

Students learning
Math the right way

20+ Countries

Present across USA, UK,
Singapore, India, UAE & more.

Why choose Cuemath?

"Cuemath is a valuable addition to our family. We love solving puzzle cards. My daughter is now visualizing maths and solving problems effectively!"

- Gary Schwartz

"Cuemath is great because my son has a one-on-one interaction with the teacher. The instructor has developed his confidence and I can see progress in his work. One-on-one interaction is perfect and a great bonus."

- Kirk Riley

"I appreciate the effort that miss Nitya puts in to help my daughter understand the best methods and to explain why she got a problem incorrect. She is extremely patient and generous with Miranda."

- Barbara Cabrera

Get the Cuemath advantage

Book a FREE trial class